


GF Piping Systems Datasheet

valid from
3/24/09

Steel x Steel, galvanised

Coupling, short, galvanised equal, for ISO 65 Steel pipe



Dim. [inch]	NBR Code	EPDM Code	FPM Code	SP	kg	D [mm]	L [mm]	x [mm]	
3/8	775 102 050			30	0.323	43	85	30 - 34	
1/2	775 102 051	775 106 051	775 108 051	1	0.346	45	85	30 - 34	
3/4	775 102 052	775 106 052	775 108 052	1	0.436	51	90	30 - 34	
1	775 102 053	775 106 053	775 108 053	1	0.588	59	96	30 - 34	
1 1/4	775 102 054	775 106 054	775 108 054	10	0.695	68	96	30 - 36	
1 1/2	775 102 055	775 106 055	775 108 055	1	0.840	75	100	32 - 38	
2	775 102 056	775 106 056	775 108 056	1	1.530	96	112	36 - 42	
2 1/2	775 102 057		775 108 057	1	3.650	119	185	65 - 75	
3	775 102 058		775 108 058	1	4.480	132	191	65 - 75	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>


GF Piping Systems Datasheet

valid from
3/26/09

Lead Adaptor, galvanised

Female Adaptor, galvanised for Lead pipe to Rp/ISO 7

Dim. Pb shows the range of the outside diameter of the lead pipe.



Dim. Pb [mm]	Dim. Rp [inch]	NBR Code	SP	kg	D [mm]	L [mm]	x [mm]	
23,9 - 27,4	¾	775 212 802	1	1.000	51	62	31 - 33	
27,3 - 30,9	1	775 212 813		0.440	59	68	31 - 33	
30,9 - 34,4	1	775 212 803	1	1.000	59	68	31 - 33	
36,5 - 37,6	1 ¼	775 212 814		0.671	68	70	32 - 38	
45,8 - 46,9	1 ½	775 212 815		0.776	75	75	35 - 43	
53,1 - 55,4	2	775 212 816		1.220	96	83	36 - 42	
56,5 - 57,5	2	775 212 817		1.220	96	83	36 - 42	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from

3/26/09

Lead - Spare Packs



Spare Packs

Dim. Pb shows the range of the outside diameter of the lead pipe.

Dim. St refers to the coupling sizes, which need to be combined with the spare packs.

Dim. Pb [mm]	Dim. St [inch]	NBR Code	EPDM Code	SP	kg	
18,3 - 21,9	1/2	775 958 841	775 956 841	1		
23,9 - 27,4	3/4	775 958 842	775 956 842	50		
27,3 - 30,9	1	775 958 813	775 956 813	50		
30,9 - 34,4	1	775 958 843	775 956 843	1		
36,5 - 37,6	1 1/4	775 958 814			0.040	
39,6 - 43,1	1 1/4	775 958 844	775 956 844	50		
45,8 - 46,9	1 1/2	775 958 815			0.055	
47,5 - 50,7	1 1/2	775 958 845		1	0.060	
53,1 - 55,4	2	775 958 816			0.130	
56,5 - 57,5	2	775 958 817			0.130	
60,4 - 63,8	2	775 958 846		1	0.060	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com


Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
3/26/09

Steel x PE, black

Coupling short with Anti-Shear-Nut, black equal, for ISO 65 Steel pipe to PE SDR 11/S 5



Dim. St [inch]	Dim. PE [mm]	NBR Code	D [mm]	L [mm]	x [mm]	x1 [mm]	
3/4	25 x 2,3	775 101 152	51	113	30 - 34	56	
1	32 x 3,0	775 101 153	59	119	30 - 34	56	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>


GF Piping Systems Datasheet

valid from

3/25/09

PE X PE, galvanised

Tee, galvanised for PE SDR 11/S 5



Dim. PE [mm]	NBR Code	SP	kg	D [mm]	L [mm]	L1 [mm]	x [mm]
20 x 2,0	775 302 201	1	0.915	45	107	54	31 - 33
25 x 2,3	775 302 202			51	111	56	31 - 33
32 x 3,0	775 302 203			59	119	60	31 - 33
63 x 5,8	775 302 206			96	166	83	39 - 47

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com


Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
3/23/09

PE x PE, black

Cap, black for PE SDR 11/S 5



Dim. PE [mm]	NBR Code	SP	kg	D [mm]	L [mm]	x [mm]	
20 x 2,0	775 451 201			45	46	31 - 33	
25 x 2,3	775 451 202			51	48	31 - 33	
32 x 3,0	775 451 203	15	0.784	59	52	31 - 33	
40 x 3,7	775 451 204	10	0.510	68	53	32 - 38	
50 x 4,6	775 451 205	10	0.594	75	57	35 - 43	
63 x 5,8	775 451 206	5	0.840	96	60	39 - 47	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from

3/24/09

Firejoint Spare Packs



Firejoint Spare Packs

includes a golden color coded nut

Dim. [inch]	D [mm]	NBR Code	SP	kg	
½	21.3	775 958 971	1	0.120	
¾	26.9	775 958 972	15	0.140	
1	33.7	775 958 973	20	0.180	
1 ¼	42.4	775 958 974	10	0.200	
1 ½	48.3	775 958 975	10	0.260	
2	60.3	775 958 996	1	0.345	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.piping.georgfischer.com>


GF Piping Systems Datasheet

valid from

3/26/09

Steel x PE, galvanised

Coupling, short, galvanised equal, for ISO 65 Steel pipe to PE SDR 7,4/S 3,2



Dim. St [inch]	Dim. PE [mm]	NBR Code	SP	kg	D [mm]	L [mm]	x [mm]	x1 [mm]	
1/2	20 x 3,0	775 102 701	20	0.378	45	85	30 - 34	31 - 33	
3/4	25 x 3,5	775 102 702	5	0.403	51	89	30 - 34	31 - 33	
1	32 x 4,4	775 102 703	15	0.632	59	95	30 - 34	31 - 33	
1 1/4	40 x 5,5	775 102 704	10	0.760	68	96	30 - 36	32 - 38	
1 1/2	50 x 6,9	775 102 705	5	0.900	75	103	32 - 38	35 - 43	
2	63 x 8,6	775 102 706	5	1.680	96	113	36 - 42	39 - 47	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com


Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
3/24/09

Firejoint Steel, galvanised

Male Adaptor, galvanised for ISO 65 Steel pipe to R/ISO 7



Dim. St [inch]	Dim. R [inch]	NBR Code	SP	kg	D [mm]	L [mm]	x [mm]	
1/2	1/2	775 204 051	25	0.240	45	73	30 - 34	
3/4	3/4	775 204 052	20	0.305	51	78	30 - 34	
1	1	775 204 053	10	0.420	59	88	30 - 34	
1 1/4	1 1/4	775 204 054	10	0.540	68	92	30 - 36	
1 1/2	1 1/2	775 204 055	5	0.640	75	94	32 - 38	
2	2	775 204 056	5	1.180	96	104	36 - 42	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.


Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
3/23/09

Steel x Steel, black

Elbow, black for ISO 65 Steel pipe



Dim. [inch]	NBR Code	FPM Code	SP	kg	D [mm]	L [mm]	x [mm]	
1/2	775 401 051	775 407 051	15	0.317	45	58	30 - 34	
3/4	775 401 052	775 407 052	10	0.359	51	60	30 - 34	
1	775 401 053	775 407 053	10	0.511	59	60	30 - 34	
1 1/4	775 401 054	775 407 054	5	0.669	68	60	30 - 36	
1 1/2	775 401 055	775 407 055	5	0.852	75	76	32 - 38	
2	775 401 056	775 407 056	5	1.896	96	75	36 - 42	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
10/15/09

PE - Spare Packs



Spare Packs + Insert Stiffener for PE SDR 11/S 5

*** according to EN 1555-2

	Dim. PE [mm]	NBR Code	SP	kg	
** *	20 x 2,0	775 958 201		0.028	
	25 x 2,3	775 958 202		0.040	
	25 x 3,0	775 958 442		0.053	
	32 x 3,0	775 958 203	1	0.080	
	40 x 3,7	775 958 204	1	0.110	
	50 x 4,6	775 958 205	1	0.140	
	63 x 5,8	775 958 206	1	0.170	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
Phone +41 -(0)52-631 1111
e-mail: info.ps@georgfischer.com
Internet: <http://www.piping.georgfischer.com>

GF Piping Systems Datasheet

valid from
11/18/09

Steel - Spare Packs

Spare Packs for ISO 65 Steel pipe



D shows the range of the outside diameter of the steel pipe

Dim. [inch]	D [mm]	NBR Code	EPDM Code	FPM Code	SP	kg	
3/8	17.2	775 958 950		775 967 960	1	0.030	
1/2	21.3	775 958 951	775 959 951	775 967 961	1	0.020	
3/4	26.9	775 958 952	775 959 952	775 967 962	1	0.040	
1	33.7	775 958 953	775 959 953	775 967 963	1	0.040	
1 1/4	42.4	775 958 954	775 959 954	775 967 964	1	0.020	
1 1/2	48.3	775 958 955	775 959 955	775 967 965	1	0.065	
2	60.3	775 958 956	775 959 956	775 967 966	1	0.087	
2 1/2	76.1	775 958 917		775 967 967	1	0.170	
3	88.9	775 958 918		775 967 968	1	0.200	

The technical data are not binding and not expressly warranted characteristics of the goods. They are subject to change. Our General Conditions of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
Phone +41 -(0)52-631 1111
e-mail: info.ps@georgfischer.com
Internet: <http://www.piping.georgfischer.com>